



#13

Qi et al.-childrens hospital-Fusogenic Properties.ST25
SEQUENCE LISTING

<110> Qi, Xiaoyang

<120> Fusogenic Properties of Saposin C and Related Proteins and Polypeptides for Application to Transmembrane Drug Delivery Systems

<130> 60/181,754

<140> US 09/780,438

<141> 2001-02-09

<150> 60/181,754

<151> 2000-02-11

<160> 4

<170> PatentIn version 3.1

<210> 1

<211> 38

<212> PRT

<213> Homo sapiens

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> where the amino acid located at 1 is a hydrophobic amino acid, ✓
including Val, Leu, Ile, Met, Pro, Phe, and Ala

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> where the amino acid located at 2 is an uncharged polar amino acid, ✓
including Thr, Ser, Tyr, Gly, Gln, and Asn

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> where the amino acid located at 5 is a hydrophobic amino acid, ✓
including Val, Leu, Ile, Met, Pro, Phe, and Ala

<220>

<221> MISC_FEATURE

<222> (8)..(10)

<223> where the amino acids located at 8-10 are hydrophobic amino acids,
including Val, Leu, Ile, Met, Pro, Phe, and Ala

<220>

<221> MISC_FEATURE

<222> (13)..(13)

<223> where the amino acid located at 13 is a hydrophobic amino acid, ✓
including Val, Leu, Ile, Met, Pro, Phe, and Ala

<220>

<221> MISC_FEATURE

<222> (14)..(14)

<223> where the amino acid located at 14 is an uncharged polar amino acid,
including Thr, Ser, Tyr, Gly, Gln, and Asn

<220>
 <221> MISC_FEATURE
 <222> (16)..(17)
 <223> where the amino acids located at 16 and 17 are hydrophobic amino acids, including Val, Leu, Ile, Met, Pro, Phe, and Ala

<220>
 <221> MISC_FEATURE
 <222> (22)..(22)
 <223> where the amino acid located at 22 is an uncharged polar amino acid, including Thr, Ser, Tyr, Gly, Gln, and Asn

<220>
 <221> MISC_FEATURE
 <222> (26)..(27)
 <223> where the amino acids located at 26 and 27 are hydrophobic amino acids, including Val, Leu, Ile, Met, Pro, Phe, and Ala

<220>
 <221> MISC_FEATURE
 <222> (29)..(30)
 <223> where the amino acids located at 29 and 30 are hydrophobic amino acids, including Val, Leu, Ile, Met, Pro, Phe, and Ala

<220>
 <221> MISC_FEATURE
 <222> (33)..(33)
 <223> where the amino acid located at 33 is a hydrophobic amino acid, including Val, Leu, Ile, Met, Pro, Phe, and Ala

<220>
 <221> MISC_FEATURE
 <222> (35)..(35)
 <223> where the amino acid located at 35 is an uncharged polar amino acid, including Thr, Ser, Tyr, Gly, Gln, and Asn

<220>
 <221> MISC_FEATURE
 <222> (37)..(38)
 <223> where the amino acids located at 37 and 38 are hydrophobic amino acids, including Val, Leu, Ile, Met, Pro, Phe, and Ala

<400> 1

Xaa Xaa Cys Glu Xaa Cys Glu Xaa Xaa Xaa Lys Glu Xaa Xaa Lys Xaa
 1 5 10 15

Xaa Asp Asn Asn Lys Xaa Glu Lys Glu Xaa Xaa Asp Xaa Xaa Asp Lys
 20 25 30

Xaa Cys Xaa Lys Xaa Xaa
 35

```

<210> 2
<211> 39
<212> PRT
<213> Homo sapiens

<220>
<221> MISC_FEATURE
<222> (1)..(2)
<223> where the amino acids located at 1 and 2 are hydrophobic amino
acids, including Val, Leu, Ile, Met, Pro, Phe, and Ala

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> where the amino acid located at 3 is an uncharged polar amino acid,
including Thr, Ser, Tyr, Gly, Gln, and Asn

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> where the amino acid located at 6 is a hydrophobic amino acid,
including Val, Leu, Ile, Met, Pro, Phe, and Ala

<220>
<221> MISC_FEATURE
<222> (9)..(11)
<223> where the amino acids located at 9-11 are hydrophobic amino acids,
including Val, Leu, Ile, Met, Pro, Phe, and Ala

<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> where the amino acid located at 14 is a hydrophobic amino acid,
including Val, Leu, Ile, Met, Pro, Phe, and Ala

<220>
<221> MISC_FEATURE
<222> (15)..(15)
<223> where the amino acid located at 15 is an uncharged polar amino
acid, including Thr, Ser, Tyr, Gly, Gln, and Asn

<220>
<221> MISC_FEATURE
<222> (17)..(18)
<223> where the amino acids located at 17 and 18 are hydrophobic amino
acids, including Val, Leu, Ile, Met, Pro, Phe, and Ala

<220>
<221> MISC_FEATURE
<222> (23)..(23)
<223> where the amino acid located 23 is an uncharged polar amino acid,
including Thr, Ser, Tyr, Gly, Gln, and Asn

```

<220>
 <221> MISC_FEATURE
 <222> (27)..(28)
 <223> where the amino acids located at 27 and 28 are hydrophobic amino acids, including Val, Leu, Ile, Met, Pro, Phe, and Ala

<220>
 <221> MISC_FEATURE
 <222> (30)..(31)
 <223> where the amino acids located at 30 and 31 are hydrophobic amino acids, including Val, Leu, Ile, Met, Pro, Phe, and Ala

<220>
 <221> MISC_FEATURE
 <222> (34)..(34)
 <223> where the amino acid located at 34 is a hydrophobic amino acid, including Val, Leu, Ile, Met, Pro, Phe, and Ala

<220>
 <221> MISC_FEATURE
 <222> (36)..(36)
 <223> where the amino acid located at 36 is an uncharged polar amino acid, including Thr, Ser, Tyr, Gly, Gln, and Asn

<220>
 <221> MISC_FEATURE
 <222> (38)..(39)
 <223> where the amino acids located at 38 and 39 are hydrophobic amino acids, including Val, Leu, Ile, Met, Pro, Phe, and Ala

<400> 2

Xaa Xaa Xaa Cys Glu Xaa Cys Glu Xaa Xaa Xaa Lys Glu Xaa Xaa Lys
 1 5 10 15

Xaa Xaa Asp Asn Asn Lys Xaa Glu Lys Glu Xaa Xaa Asp Xaa Xaa Asp
 20 25 30

Lys Xaa Cys Xaa Lys Xaa Xaa
 35

<210> 3
 <211> 38
 <212> PRT
 <213> Homo sapiens

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> where the amino acid located at 1 is a hydrophobic amino acid, including Val, Leu, Ile, Met, Pro, Phe, and Ala

<220>
 <221> MISC_FEATURE

Qi et al.-childrens hospital-Fusogenic Properties.ST25

<222> (2)..(2)

<223> where the amino acid located at 2 is an uncharged polar amino acid, including Thr, Ser, Tyr, Gly, Gln, and Asn ✓

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> where the amino acid located at 5 is a hydrophobic amino acid, including Val, Leu, Ile, Met, Pro, Phe, and Ala ✓

<220>

<221> MISC_FEATURE

<222> (8)..(10)

<223> where the amino acids located at 8-10 are hydrophobic amino acids, including Val, Leu, Ile, Met, Pro, Phe, and Ala ✓

<220>

<221> MISC_FEATURE

<222> (13)..(13)

<223> where the amino acid located at 13 is a hydrophobic amino acid, including Val, Leu, Ile, Met, Pro, Phe, and Ala ✓

<220>

<221> MISC_FEATURE

<222> (14)..(14)

<223> where the amino acid located at 14 is an uncharged polar amino acid, including Thr, Ser, Tyr, Gly, Gln, and Asn ✓

<220>

<221> MISC_FEATURE

<222> (16)..(17)

<223> where the amino acids located at 16 and 17 are hydrophobic amino acids, including Val, Leu, Ile, Met, Pro, Phe, and Ala ✓

<220>

<221> MISC_FEATURE

<222> (22)..(22)

<223> where the amino acid located at 22 is an uncharged polar amino acid, including Thr, Ser, Tyr, Gly, Gln, and Asn

<220>

<221> MISC_FEATURE

<222> (26)..(27)

<223> where the amino acids located at 26 and 27 are hydrophobic amino acids, including Val, Leu, Ile, Met, Pro, Phe, and Ala

<220>

<221> MISC_FEATURE

<222> (29)..(30)

<223> where the amino acids located at 29 and 30 are hydrophobic amino acids, including Val, Leu, Ile, Met, Pro, Phe, and Ala

<220>

<221> MISC_FEATURE

Qi et al.-childrens hospital-Fusogenic Properties.ST25
 <222> (33)..(33)
 <223> where the amino acid located at 33 is a hydrophobic amino acid,
 including Val, Leu, Ile, Met, Pro, Phe, and Ala

<220>
 <221> MISC_FEATURE
 <222> (35)..(35)
 <223> where the amino acid located at 35 is an uncharged polar amino
 acid, including Thr, Ser, Tyr, Gly, Gln, and Asn

<220>
 <221> MISC_FEATURE
 <222> (37)..(38)
 <223> where the amino acids located at 37 and 38 are hydrophobic amino
 acids, including Val, Leu, Ile, Met, Pro, Phe, and Ala

<400> 3
 Xaa Xaa Cys Glu Xaa Cys Glu Xaa Xaa Xaa Lys Glu Xaa Xaa Lys Xaa
 1 5 10 15

Xaa Asp Asn Asn Lys Xaa Glu Lys Glu Xaa Xaa Asp Xaa Xaa Asp Lys
 20 25 30

Xaa Cys Xaa Lys Xaa Xaa
 35

<210> 4
 <211> 38
 <212> PRT
 <213> Homo sapiens

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> where the amino acid located at 1 is a hydrophobic amino acid,
 including Val, Leu, Ile, Met, Pro, Phe, and Ala

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> where the amino acid located at 2 is an uncharged polar amino acid,
 including Thr, Ser, Tyr, Gly, Gln, and Asn

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> where the amino acid located at 5 is a hydrophobic amino acid,
 including Val, Leu, Ile, Met, Pro, Phe, and Ala

<220>
 <221> MISC_FEATURE

Qi et al.-childrens hospital-Fusogenic Properties.ST25

<222> (8)..(10)

<223> where the amino acids located at 8-10 are hydrophobic amino acids, including Val, Leu, Ile, Met, Pro, Phe, and Ala

<220>

<221> MISC_FEATURE

<222> (13)..(13)

<223> where the amino acid located at 13 is a hydrophobic amino acid, including Val, Leu, Ile, Met, Pro, Phe, and Ala

<220>

<221> MISC_FEATURE

<222> (14)..(14)

<223> where the amino acid located at 14 is an uncharged polar amino acid, including Thr, Ser, Tyr, Gly, Gln, and Asn

<220>

<221> MISC_FEATURE

<222> (16)..(17)

<223> where the amino acids located at 16 and 17 are hydrophobic amino acids, including Val, Leu, Ile, Met, Pro, Phe, and Ala

<220>

<221> MISC_FEATURE

<222> (22)..(22)

<223> where the amino acid located at 22 is an uncharged polar amino acid, including Thr, Ser, Tyr, Gly, Gln, and Asn

<220>

<221> MISC_FEATURE

<222> (26)..(27)

<223> where the amino acids located at 26 and 27 are hydrophobic amino acids, including Val, Leu, Ile, Met, Pro, Phe, and Ala

<220>

<221> MISC_FEATURE

<222> (29)..(30)

<223> where the amino acids located at 29 and 30 are hydrophobic amino acids, including Val, Leu, Ile, Met, Pro, Phe, and Ala

<220>

<221> MISC_FEATURE

<222> (33)..(33)

<223> where the amino acid located at 33 is a hydrophobic amino acid, including Val, Leu, Ile, Met, Pro, Phe, and Ala

<220>

<221> MISC_FEATURE

<222> (35)..(35)

<223> where the amino acid located at 35 is an uncharged polar amino acid, including Thr, Ser, Tyr, Gly, Gln, and Asn

<220>

<221> MISC_FEATURE

Qi et al.-childrens hospital-Fusogenic Properties.ST25
 <222> (37)..(38)
 <223> where the amino acids located at 37 and 38 are hydrophobic amino acids, including Val, Leu, Ile, Met, Pro, Phe, and Ala

<400> 4

Xaa Xaa Cys Glu Xaa Cys Glu Xaa Xaa Xaa Lys Glu Xaa Xaa Lys Xaa
 1 5 10 15

Xaa Asp Asn Asn Lys Xaa Glu Lys Glu Xaa Xaa Asp Xaa Xaa Asp Lys
 20 25 30

Xaa Cys Xaa Lys Xaa Xaa
 35